

140x210x66 bearing cad model

Our company offers different 140x210x66 bearing at Wholesale Price? Here, you can get high quality and high efficient 140x210x66 bearing

Deep groove ball bearing 7028-CDF-FY-KOYO - 140x210x66 Deep groove ball bearing 7028-CDF-FY-KOYO , dim : Ø int. 140 x Ø ext. 210 x th. 66 mm. SAME DAY SHIPPING. The specialist at your service for over 10 years

Bearing DE2807 (NTN) | Size and Specification | Bearings Angular contact ball bearings DE2807. Bearing number : DE2807. Size (mm) : 140x210x66. Brand : NTN. Bore Diameter (mm) : 140,000. Outer Diameter (mm) : Original DE2806 bearing - NTN DE2806 bearing, 140x210x66 Original NTN DE2806 bearing. 140x210x66. Wheel Bearing by NTN®. Loose wheel bearings are 100% developed by NTN design and engineering

@@@@@@@@								
	d	D	B	EAN	Noun	Brand	Seals	width:
150TMP1 2	-	-	6.688 Inch 169.875	-	-	DODGE	-	-
130TMP1 2	-	-	-	-	-	RBC BEA RINGS	-	-
130TMP9 3	-	2.441 Inch 62.001	-	73165770 35899	-	-	-	-
110TMP1 2	-	-	-	-	-	-	-	-
110TMP9 3	-	-	-	-	-	-	-	-
120TMP1 2	-	-	-	06440751 69233	Bearing	CONSOLI DATED BEARING	-	-
120TMP9 3	-	-	2.3125 in	-	-	-	-	-
140TPS1 60	-	-	-	07824766 19459	-	DODGE	-	-
160TPS1 64	-	-	-	-	-	NTN	-	-
160TPS1 65	1.9375 in	-	-	-	-	-	-	-
160TPS1 66	-	-	-	06440752 42141	-	CONSOLI DATED BEARING	-	-
140TPS1 58	-	-	-	-	-	-	-	-
140TPS1 59	3.688 Inch 93.675	-	-	-	Bearing	QM INDU STRIES	-	-

100TPS1 45	3 Inch 76.2 Millim	6.531 Inch 165.887	-	-	-	FYH	Single Lip Contact	-
120TPS1 51	-	-	-	-	-	IKO	-	-
120TPS1 52	-	-	-	-	-	-	-	-
120TPS1 53	0.394 Inch 10 Mill	-	-	-	-	-	-	-
90TPS13 9	-	-	-	-	-	AMI BEA RINGS	-	-
90TPS14 0	3.346 Inch 85 Mill	-	2.835 Inch 72 Mill	-	-	NTN	-	-
100TPS1 43	1.75 Inch 44.45 Mi	2.125 Inch 53.975	-	08468020 20927	-	ISOSTATI C	-	-
100TPS1 44	-	-	-	08834503 95670	-	QM INDU STRIES	-	-
70TPS13 2	-	-	-	49918938 55692	-	NACHI	-	-
80TPS13 4	-	-	-	07179052 29343	-	BUNTING BEARING S	-	-
80TPS13 5	-	-	-	08082504 58783	-	AMI BEA RINGS	-	-
80TPS13 6	40 mm	90 mm	15 mm	-	-	-	-	-
60TPS12 7	-	-	-	40128020 98273	-	INA	-	-
70TPS12 9	-	2.563 Inch 65.09 M	-	-	-	-	-	-
70TPS13 0	1/2 in	7/8 in	-	-	-	-	-	-
70TPS13 1	-	3.346 Inch 85 Mill	-	-	-	FAG BEARING	-	-
50TPS12 3	35 mm	130 mm	95.3 mm	-	-	-	-	-
60TPS12 4	3.938 Inch 100.025	-	-	-	-	-	Floating Labyrinth	-
60TPS12 5	4.625 Inch 117.475	7.125 Inch 180.975	-	00538933 78787	-	TIMKEN	-	-
60TPS12 6	-	-	-	08885690 80080	-	BEARING S LIMITED	-	-
50TPS12 0	-	-	-	06923144 65264	-	NTN	-	-
50TPS12	-	-	-	-	-	-	Felt	-

1							Labyrinth	
50TPS12	0.1875 in	0.4375 in	0.1875 in	-	-	-	-	-
2								
40TPS11	3.15 Inch	-	-	08885691	-	-	-	-
5	80 Milli			09996				
40TPS11	100 mm	180 mm	34 mm	-	-	-	-	-
6								
40TPS11	-	-	8.5000 in	-	-	-	-	-
7								
50TPS11	2.25 Inch	2.563 Inch	-	-	-	-	-	-
9	57.15 Mi	65.09 M						
30TPS10	-	-	-	08069900	-	-	-	-
6				46277				
30TPS10	-	-	-	08006750	-	PT INTER	-	-
7				72131		NATIONA		
30TPS10	-	0 Inch 0	-	-	Cone	-	-	-
8		Millimete						
35TPS11	85 mm	110 mm	-	-	-	-	-	-
3								
40TPS11	-	-	-	-	-	SKF	-	-
4								
20TPS10	-	-	-	-	-	-	-	-
3								
20TPS10	1.6250 in	3.3465 in	-	-	-	-	-	-
4								
240TP177	-	-	-	88655906	-	PEER	-	-
				28933		BEARING		
240TP178	-	-	-	08834500	Bearing	QM INDU	-	-
				17978		STRIES		
240TP179	85 mm	-	mm	-	-	-	-	-
220TP176	-	-	-	-	-	-	-	-
220TP174	-	-	1.417 Inch	-	Bearing	-	-	-
			36 Mill					
220TP175	-	-	-	-	Bearing	-	-	-
200TP173	2.5000 in	3.0000 in	-	-	-	-	-	-
200TP171	-	1.128 Inch	-	-	Bearing	-	-	-
		28.651						
200TP172	-	6.299 Inch	-	-	Bearing	CONSOLI	-	-
		160 Mil				DATED		
180TP168	3.347 Inch	-	-	-	-	BEARING	-	-
	85.014							
180TP169	-	-	-	00291767	-	NSK	-	-
				33116				

180TP170	-	-	-	-	-	SKF	-	-
160TP164	-	-	-	00538938 93075	-	TIMKEN	-	-
160TP165	2.362 Inch 60 Mill	-	-	-	Bearing	-	-	-
160TP166	3.937 Inch 100 Mil	4.13 Inch 104.9 Mi	-	-	-	-	-	-
140TP158	-	-	-	07824752 13719	-	DODGE	-	-
140TP159	-	-	-	08006752 60323	-	PT INTER NATIONA L	-	-
140TP160	-	-	-	-	-	QM INDU STRIES	-	-
120TP151	-	-	-	40266778 27715	-	-	-	-
120TP152	-	-	-	06923144 07950	-	NTN	-	-
120TP153	-	-	-	-	-	FAG BEARING	-	-
100TP145	-	-	-	-	-	-	-	-
100TP143	-	-	-	06624613 74597	-	SEALMAS TER	-	-
100TP144	-	-	-	-	-	-	-	-
80TP136	2 Inch 50.8 Millim	2.87 Inch 72.898 M	2.75 Inch 69.85 Mi	-	-	-	Teflon Labyrinth	-
90TP139	-	-	-	-	-	-	-	-
90TP140	-	-	-	-	-	-	-	0.6400 in
70TP131	-	-	-	-	-	-	-	-
70TP132	-	2.687 Inch 68.26 M	1.748 Inch 44.4 Mi	-	-	-	Floating Labyrinth	-
80TP134	17.323 Inch 440 Mi	-	6.181 Inch 157 Mil	-	Bearing	-	-	-
80TP135	20 mm	52 mm	-	-	-	-	-	-
70TP129	-	-	-	-	-	-	-	-
70TP130	1.2500 in	5.5469 in	-	-	-	-	-	-
60TP126	-	-	-	-	-	FAG BEARING	-	-
60TP127	-	260 mm	67 mm	-	-	-	-	-
50TP122	-	1.85 Inch 46.99 Mi	-	06623271 36673	-	-	-	-
50TP123	2.337 Inch 59.362	-	1.22 Inch 31 Milli	-	-	-	-	-
60TP124	-	-	-	08834500	-	-	-	-

				62237				
60TP125	-	-	-	07179052 20746	-	BUNTING BEARING S	-	-

Deep groove ball bearing HAR-028-CDF-KOYO - 140x210x66
 Deep groove ball bearing HAR-028-CDF-KOYO , dim : Ø int. 140 x Ø ext. 210 x th. 66 mm. SAME DAY SHIPPING. The specialist at your service for over 10

FAG 7028C/DT Bearing | 436128 bearing 140x210x66
 Part Number 7028C/DT Angular Contact Ball Bearings (FAG) Old Code 436128 bearing Dimensions (mm) Inside diameter ID d 140 Outside diameter OD D 210 Deep groove ball bearing HAR-028-CDB-KOYO - 123
 Bearing Deep groove ball bearing HAR-028-CDB-KOYO - 140x210x66 mm. HAR-028-CDB-KOYO - 140x210x66 mm. Reference : HAR-028-CDB-KOYO. 140 210 66

@@@@@				
FBJ	FKL	IKO	ISO	SKF
508KV7601	500arXs2345	850arXs3365	150RV2301	260RV3521
514KV6751	440RV6221	610RV8711	Ta4122v	260RV3701
520KV895	500arXs2422	863arXs3445a	150RV2302	260RV3801
530KV895	450RV6321	634RV9031	Ta4024v	260RV4001
530KV81	500arXs2443	880arvks3366	159RV2201	270RV3801
220arvs1683	460RV6201	900arXs3444	Ta4026v	280RV3901
340RV4502	510arXs2364	950arXs3723	160RV2301	280RV3902
230arvsl1667	460RV6211	1040arXs3882	Ta4126v	280RV3903
340RV4801	530arXs2522	230RYL1667 RY6	160RV2302	145arvsl1452
240arvs1643	460RV6212	260RYL1744 RY6	Ta2226v	280RV4021
340RV4812E	550arXs2484	280RYL1782 RY3	160RV2303	160arvsl1468
240arvsl1668	460RV6511	145ARVSL1452 169RYSL1452	Ta4028v	290RV3901
345RV4821	560arXs2644	165ARYSL1451 181RYSL1451	160RV2401	160arvsl1467
250arvs1681	460RV6721	190ARVS1543 212RYS1543	Ta4030v	290RV4101
360RV4801	571arXs2622	200ARVSL1567 222RYSL1567	160RV2402	165arvsl1451
260arvsl1744	480RV6801	220ARVS1683 257RYS1683	Ta4130v	290RV4201
360RV5101	600arXs2643	250ARVS1681 276RYS1681	160RV2403	170arvsl6462
260arvs1763	480RV6811	280ARVSL1783 312RYSL1783	Ta4032v	300RV4021
370RV4801	600arXs2744	300ARXSL1845 332RXSL1845	170RV2301	180arvsl1527
280arvsl1764	480RV7031	340RX1965A RX5	Ta4034v	300RV4201
370RV5211	650arXs2803	380RX2089 RX1	170RV2402	190arvsl1528

280arvsl1783	500RV6712E	390RX2088 RX1	170RV2501	300RV4221
370RV5401	650arXs2841	431RX2141 RX1	170RV2502	190arvsl1543
280arysl1782	500RV6812	480RX2303B RX1	170RV2503	310RV4201
380RV5001	690arXs2965	500RX2443 RX1	170RV2602	200arvsl1544
290arysl1881	500RV6913	530RX2522 RX1	170ryl6462	310RV4301
380RV5201	690arXs2966	330ARXS1922 365RXS1922	180RV2501	200arvsl1545
300arXs1845B	500RV6921	370ARXS2045 409RXS2045	180RV2601	320RV4501
380RV5202	700arXs2862	380ARXS2087 422RXS2087	190ryl1528	200arvsl1566
300arXsl1845	500RV7021	400ARXS2123 445RXS2123	180RV2602	320RV4811
380RV5431	705arXs3131B	460ARXS2371 518RXS2371	190ryl1543	200arvsl1567
300arXsl1845w21 7	500RV7111	500ARXS2422 558RXS2422	180RV2603	330RV4301
380RV5401	710arXs3006	510ARXS2461 569RXS2461	180RV2802	200arvsl1585
300arys2002	500RV7211	560RX2644 RX1	200ryl1545	330RV4401
380RV5411	730arXs2922	600RX2643B RX9	190RV2601	210arvsl1584
d3717a	510RV6701	650RX2841C RX1	190RV2701	330RV4601
380RV5412	730arXs3064	700RX2862 RX1	190RV2702	220arvsl1621
330arXs1922	520RV7331	710RX3006 RX1	190RV2703	340RV4501
390RV5101	750arXs3005	730RX3064A RX1	210ryl1584	BT170-1 DF
340arXs1965a	530RV7813	761RX3166B RX1	190RV2801	BT175-1 DF
390RV5521	760arXs3166	780RX3141 RX1	200RV2521	BA180-2 DF
340arysl1963	536RV7631	100RV1401	200RV2801	BT180-2 DF
400RV5202	761arXs3166B	600ARXS2643 660RXS2643A	200RV2802	BA190-1 DF
360arysl2004	536RV7612E	110RV1701	240ry1643	BA190-4 DF
400RV5501	761arXs3166	650ARXS2803 704RXS2803	200RV2803	7940AAX DF
370arXs2045	550RV7411A	120RV1601	240ryl1668	BA200-3E DF
400RV5612	770arXs3151	690ARXS2966 766RXS2966	200RV2804	BT220-1 DF
380arXs2089	560RV8011	120RV1801	200RV2901	BA220-1B DF
400RV5613	780arXs3141	705ARXS3131B 796RXS3131	200RV3102	BT220-51 DF
380arXs2086a	570RV8111	120RV2101	200RV3231	BA225-1 DF
400RV5621	800arXs3165	730ARXS3064 809RXS3064	280ryl1764	BA230-2A DF
380arXs2087	571RV8111	127RV1722	210RV2901	BA240-1 DF
400RV5611	820arXs3201a	127RV2001	219RV3131	BT240-2 DF
390arXs2088	600RV8212E	130RV2003	220RV3101	BT250-51 DF
406RV6001	820arXs3264	na6917	290ryl1881	BT260-51aE DF

390arys2103	600RV8711	140RV2101	220RV3102	BT270-1 DF
410RV6011	820arXs3264c	145RV2101	220RV3201	BT280-2 DF
400arXs2123	600RV8713	nncf5008	220RV3203	BT290-2 DF
420RV5601	850arXs3304	145RV2201	d3716a	7960BAX DF
431arXs2141	610RV8511	Ta4020v	222RV3201	BA320-1 DF
420RV5602	850arXs3365	150RV2201	230RV3401	BT340-1 DF
440arXs2245	610RV8711	Ta5020v	360ryl2004	BA380-1 DF
420RV6011	863arXs3445a	150RV2203	230RV3601	BA580-1 DF
460arXs2247a	634RV9031	Ta3120v	240RV3301	KB030AR0
430RV5921	880arvks3366	150RV2204	240RV3403	KB042AR0
480arXs2303B	900arXs3444	Ta4022v	460rX2247a	KB050AR0
440RV6213	950arXs3723	150RV2301	240RV3601	KB065AR0
500arXs2345	1040arXs3882	Ta4122v	250RV3501	KB080AR0
440RV6221	230RYL1667 RY6	150RV2302	259RV3631	KB110AR0
500arXs2422	260RYL1744 RY6	Ta4024v	260RV3521	KB160AR0
450RV6321	280RYL1782 RY3	159RV2201	260RV3701	NU313EMA
500arXs2443	145ARVSL1452 169RYSL1452	Ta4026v	260RV3801	NU415EMA
460RV6201	165ARYSL1451 181RYSL1451	160RV2301	260RV4001	NU317EMA
510arXs2364	190ARVS1543 212RYS1543	Ta4126v	270RV3801	NU1026MA
460RV6211	200ARVSL1567 222RYSL1567	160RV2302	280RV3901	NU1028MA
530arXs2522	220ARVS1683 257RYS1683	Ta2226v	280RV3902	N2230EMB
460RV6212	250ARVS1681 276RYS1681	160RV2303	280RV3903	NJ332EMA
550arXs2484	280ARVSL1783 312RYSL1783	Ta4028v	145arvsl1452	NJ234EMA
460RV6511	300ARXSL1845 332RXSL1845	160RV2401	280RV4021	NU334EMA
560arXs2644	340RX1965A RX5	Ta4030v	160arvsl1468	NJ2334EMA
460RV6721	380RX2089 RX1	160RV2402	290RV3901	NJ236EMA
571arXs2622	390RX2088 RX1	Ta4130v	160arvsl1467	NU336EMA
480RV6801	431RX2141 RX1	160RV2403	290RV4101	NJ2336EMA
600arXs2643	480RX2303B RX1	Ta4032v	165arvsl1451	-
480RV6811	500RX2443 RX1	-	290RV4201	-
600arXs2744	-	-	170arysl6462	-
-	-	-	300RV4021	-

NSK 140KBE2101+L bearing 140x210x66 | Tapered Roller Enquiry NSK 140KBE2101+L Tapered Roller Bearings from bearingforworld, demensions: 140x210x66 Bearings Online NTN 7028UADEX1DB/G13P4 bearing distributor This NTN 7028UADEX1DB/G13P4 bearing is the original product, with best price, fast delivery and best quality. The bearing's dimensions are 140x210x66

Bearing DE2806 (NTN) | Size and Specification | Bearings Angular contact ball bearings
DE2806. Bearing number : DE2806. Size (mm) : 140x210x66. Brand : NTN. Bore Diameter
(mm) : 140,000. Outer Diameter (mm) : NSK 7028C/DB Bearing | 236128 bearing
140x210x66 Part Number 7028C/DB Angular Contact Ball Bearings (NSK) Old Code 236128
bearing Dimensions (mm) Inside diameter ID d 140 Outside diameter OD D 210