




Shandong Xiangyue bearing Trading Co....



3.74 Inch | 95 Millimeter x 7.874 Inch | 200 Millimeter x 2.638 Inch | 67 Millimeter Timken NU2319EMA Cylindrical Roller Bearing

Bearing No. NU2319EMA

NU2319EMA Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	10.35
EAN	0053893752310
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	95MM Bore; Straight Bore Profile; 200MM Outside Diameter; 67MM Width;



Shandong Xiangyue bearing Trading Co....

	Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Inte
Category	Cylindrical Roller Bearings
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	NU2319EMA
Weight / LBS	22.8
D	7.874 Inch 200 Millimeter
B	2.638 Inch 67 Millimeter
d	3.74 Inch 95 Millimeter
Design Units	METRIC
Bearing Weight	10.4 Kg
Type	NU
Tapered Bore	N
d - Bore	95 mm
D - Outer Diameter	200 mm
C - Inner Ring Width	67 mm
B - Outer Ring Width	67 mm
C0 - Static Radial Rating	593000 N
C - Dynamic Radial Rating ¹	525000 N
Reference Thermal Speed Rating (Grease)	2500
Reference Thermal Speed Rating (Oil) ²	2800
Cg - Geometry Factor ³	0.1095
R - Inner Ring To Clear Radius ⁴	2.500 mm
r - Outer Ring To Clear Radius ⁵	2.500 mm



Shandong Xiangyue bearing Trading Co....

da - Inner Ring Backing Diameter	116.000 mm
Da - Outer Ring Backing Diameter	0.000 mm