




Shandong Xiangyue bearing Trading Co....



NU1030MA Bearing 2D drawings and 3D CAD models

5.906 Inch | 150 Millimeter x 8.858 Inch | 225
Millimeter x 1.378 Inch | 35 Millimeter Timken
NU1030MA Cylindrical Roller Bearing

Bearing No. NU1030MA

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	4.899
EAN	0087796301351
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	150MM Bore; Straight Bore Profile; 225MM Outside Diameter; 35MM Width;



Shandong Xiangyue bearing Trading Co....

	Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Int
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	NU1030MA
Weight / LBS	10.8
d	5.906 Inch 150 Millimeter
D	8.858 Inch 225 Millimeter
B	1.378 Inch 35 Millimeter
Design Units	METRIC
Bearing Weight	4.9 Kg
Type	NU
Tapered Bore	N
d - Bore	150 mm
D - Outer Diameter	225 mm
C - Inner Ring Width	35 mm
B - Outer Ring Width	35 mm
C0 - Static Radial Rating	309000 N
C - Dynamic Radial Rating ¹	231000 N
Reference Thermal Speed Rating (Grease)	2500
Reference Thermal Speed Rating (Oil) ²	3100
Cg - Geometry Factor ³	0.1124
R - Inner Ring To Clear Radius ⁴	1.5 mm
r - Outer Ring To Clear Radius ⁵	2.0 mm



Shandong Xiangyue bearing Trading Co....

da - Inner Ring Backing Diameter	165.000 mm
Da - Outer Ring Backing Diameter	0.000 mm