



NTN 51126 Thrust Spherical Roller Bearing

Bearing No. 51126

51126 Bearing 2D drawings and 3D CAD models

Size	130x170x30 mm
Bore Diameter	130 mm
Outer Diameter	170 mm
Width	30 mm
d	130 mm
D	170 mm
T	30 mm
d1	170 mm
r min.	1 mm
D1	132 mm
da min.	154 mm
Da max.	146 mm
ra max.	1 mm
Weight	1,73 Kg
Basic dynamic load rating (C)	104 kN
Basic static load rating (C0)	350 kN
(Grease) Lubrication Speed	1 300 r/min
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	1.642
EAN	4547359306231
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes



Shandong Xiangyue bearing Trading Co....

Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Flat Seat
Long Description	130MM Bore 1; 132MM Bore 2; 170MM Outside Diameter; 30MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	51126
Weight / LBS	3.814
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 1	5.118 Inch 130 Millimeter
Height	1.181 Inch 30 Millimeter
Bore 2	5.197 Inch 132 Millimeter
Outside Diameter	6.693 Inch 170 Millimeter
bore diameter:	130 mm
dynamic load capacity:	104000 N
outside diameter:	170 mm
operating temperature range:	-40 to 120 ° C



Shandong Xiangyue bearing Trading Co....

overall width:	30 mm
maximum rpm:	1900 rpm
thrust bearing type:	Single-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Steel
separable or banded:	Separable
fillet radius:	1 mm
precision rating:	ISO Class 0
series:	511
static load capacity:	350000 N
manufacturer product page:	Click here